

## Potable Water Rubber

WQC (Australia) approved EPDM Sheet for using in contact with Drinking Water.

Water intended for human consumption without imparting any toxic effect is drinking water. Water of sufficient quality to serve as drinking water is termed potable water whether it is used as such or not. Nonmetallic materials, when in contact with water, can change the quality of that water. BS 6920 and its modified version AS/NZS 4020:2002 (for Australian and New Zealand requirements) is the method for testing the water quality – i.e., "Testing of products for use in contact with drinking water and any non-metallic product should comply with these test requirements for getting the approval given by Water Quality Center (WQC). Zenith Rubber USA's PWS was developed for use in contact with drinking water and has met all the technical and biological property requirements as tested by following the corresponding Standards.



Zenith Rubber USA's PWS is a high performance with low specific gravity (1.13) EPDM rubber compound which can be applied for water fitting (supplying) parts e.g., lining, joining, gaskets, membranes, cisterns, O-Rings, washers that are used in contact with drinking water

Finish	Smooth
Powder	No
Color	Black

### Technical Specifications

Style#	Hardness (±5)	Tensile Strength		Elongation at break	Abrasion	Compression Set	Temperature Range (General Guidelines)		Oil Swell in ASTM oil 903
		PSI	(min) kg/cm <sup>2</sup>				C°	F°	
IR580	70	1635	114	350	-	-	-40°C to +130°C	-40°F to +248°F	-

Specifications are subject to change without notice

### Available Roll Sizes

Thickness		Width		Length	
Inches	mm	Inches	Meter	Feet	Meter
1/16"	1.6	36 & 48	.91 & 1.2	100	30.5
3/32"	2.4	36 & 48	.91 & 1.2	75	22.9
1/8"	3.2	36 & 48	.91 & 1.2	50	15.3
3/16"	4.8	36 & 48	.91 & 1.2	35	10.7
1/4"	6.4	36 & 48	.91 & 1.2	35	10.7
3/8"	9.5	36 & 48	.91 & 1.2	35	10.7
1/2"	12.7	36 & 48	.91 & 1.2	25	7.6
3/4"	19.1	36 & 48	.91 & 1.2	25	7.6
1"	25.4	36 & 48	.91 & 1.2	25	7.6

- For available inventory, please contact us
- Thickness and sizes per RMA tolerances



Typical Physical Properties: The typical physical properties are tensile, elongation, and durometer, obtained on slabs. Product Physical Values are based on values obtained from standard laboratory test specimens prepared and tested in accordance with the applicable test methods. Test results from specimens prepared from finished products may not duplicate values obtained from standard test specimens. Buyers agrees that when standard test specimens are cut from finished parts in accordance with Practice D5183, a deviation to the extent of 10% on tensile strength and elongation values is permissible. All of our sheet rubber products are a proprietary blend of polymers formulated to meet designated specifications. In our Commercial products, the named polymer is not necessarily the polymer representing the highest percentage of the polymer blend. The various specifications call outs are a valuable guide in selecting the type and grade of sheet rubber for a particular application. In any application, the customer should evaluate the performance requirements and conditions that will affect the working life of the rubber product. Where appropriate, field tests may need to be performed before the style of sheet rubber is selected. If the customer's quality assurance includes the testing of rubber material, the test criteria should specify the physical property that is most critical to its application. Polymer type alone may not be adequate for the selecting of the rubber that is best suited for a specific application. Buyer acknowledges the use of its own knowledge, expertise, skill, experience and judgment in the selection of product(s) and/or in the selection, provision, or designation of any specifications or set of specifications for a product(s) agreed upon by the Buyer and Seller. Buyer acknowledges that Seller shall not be liable for, and Buyer assumes all risk of, inaccurate or unstable specifications or information provided, selected or designed by the Buyer. QRRR, INC MAKES NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE SUITABILITY OF MATERIALS FOR A PARTICULAR PURPOSE. BUYERS AND USERS MUST DETERMINE THE SAFETY AND SUITABILITY OF QRRR'S PRODUCTS FOR THEIR OWN PURPOSES, AND ASSUME ALL RISK, RESPONSIBILITY, AND LIABILITY FOR ALL INJURIES, LOSSES, OR DAMAGES ARISING FROM THE APPLICATION OF THE INFORMATION OR USE OF QRRR'S PRODUCTS, WHETHER OR NOT CAUSED BY QRRR'S NEGLIGENCE OR BASED ON STRICT PRODUCT LIABILITY. Terms and conditions are available upon request. FLEXGARD and the FLEXGARD logo are registered trademarks of QRRR, Inc.